


ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	12
2	D Size Brick	3
3	DC Size Brick	1
4	EK Size Brick	1
5	K Size Brick	2
6	MT Size Brick	2
7	OC Size Brick	1
8	SI Size Brick	2

Valley Comfort Systems Inc		
1290 Commercial way Penticton, BC V2A 3H5		
Part Name		Part Number
AF20.1 Brick Assembly		
Date	Revision date	Model
May 5 14	??	AF20.1
Drawn By	Quantity per	Material / Thickness
AR	1	
All Dimensions in Inches		WEIGHT:
Tolerance		PUNCH BLANK SIZE:
General	Hole Size	Hole Pos
Angles		
+/- 0.03	+/- 0.005	+/- 0.03
		+/- 0.5
LASER BLANK SIZE:		





ITEM NO.	PART NUMBER	QTY.
1	0830I	1
2	A Size Brick	17
3	HC Size Brick	1
4	JC Size Brick	1
5	MC Size Brick	1
6	MT Size Brick	1
7	QC Size Brick	1
8	SI Size Brick	4

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
AF30 Brick Assembly		
Date	Revision date	Model
Feb 26 13	??	AF30
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		


All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5



ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	14
2	S1 Size Brick	2
3	Y Size Brick	6
4	Z Size Brick	5

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5

Valley Comfort Systems Inc		
1290 Commercial way Penticton, BC V2A 3H5		
Part Name		Part Number
BR11 Brick Assembly		
Date	Revision date	Model
Jun 14 12	Oct 30 14	BR11
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		



ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	12
2	CK Size Brick	6
3	KK Size Brick	3
4	QC Size Brick	1
5	SI Size Brick	3
6	WI Size Brick	1



Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
CK/SC/AF 30.1 Brick Assembly		
Date	Revision date	Model
May 30 14	??	CK30.1/SC30.1/AF30.1
Drawn By	Quantity per	Material / Thickness
AR	1	

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5

WEIGHT:
PUNCH BLANK SIZE:
LASER BLANK SIZE:





Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
Apex Brick Assembly		
Date	Revision date	Model
Feb 21 11	??	Apex CBT
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		

ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	30
2	ZB Size Brick	6
3	ZC Size Brick	1
4	ZE Size Brick	2

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5





ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	12
2	D Size Brick	2
3	EK Size Brick	1
4	H Size Brick	2
5	MT Size Brick	1
6	QC Size Brick	1
7	R Size Brick	1
8	SC Size Brick	2
9	SI Size Brick	3

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
CK20 Brick Assembly		
Date	Revision date	Model
Oct 13 11	Dec 5 11	CK20
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5



ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	12
2	D Size Brick	3
3	DC Size Brick	1
4	EK Size Brick	1
5	K Size Brick	2
6	MT Size Brick	2
7	QC Size Brick	1
8	SI Size Brick	2

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5

Valley Comfort Systems Inc


1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
CK20.1 Brick Assembly		
Date	Revision date	Model
May 6 14	??	CK20.1
Drawn By	Quantity per	Material / Thickness
AR	1	

WEIGHT:

PUNCH BLANK SIZE:

LASER BLANK SIZE:





ITEM NO.	PART NUMBER	QTY.
1	0830F	1
2	A Size Brick	21
3	CK Size Brick	4
4	D Size Brick	2
5	I Size Brick	5
6	JP Size Brick	2
7	KB Size Brick	2
8	LP Size Brick	2
9	P Size Brick	5

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
Brick Assembly		
Date	Revision date	Model
Nov 20 09	Dec 20 10	King Classic
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5




ITEM NO.	PART NUMBER	QTY.
1	0830E	1
2	A Size Brick	15
3	BP Size Brick	6
4	CK Size Brick	4
5	CP Size Brick	2
6	D Size Brick	2
7	G Size Brick	1
8	GK Size Brick	1
9	I Size Brick	2
10	JP Size Brick	2
11	KB Size Brick	2
12	LP Size Brick	2
13	O Size Brick	1
14	P Size Brick	2
15	Q Size Brick	2
16	S Size Brick	1
17	V Size Brick	6

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
KE Parlor Brick Assembly		
Date	Revision date	Model
Jun 17 11	??	KE Parlor
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5





ITEM NO.	PART NUMBER	QTY.
1	0830E	1
2	A Size Brick	15
3	BP Size Brick	6
4	CK Size Brick	4
5	CP Size Brick	2
6	D Size Brick	2
7	G Size Brick	1
8	GK Size Brick	1
9	I Size Brick	2
10	JP Size Brick	2
11	KB Size Brick	2
12	LP Size Brick	2
13	O Size Brick	1
14	P Size Brick	2
15	Q Size Brick	2
16	S Size Brick	1
17	V Size Brick	6

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
Brick Assembly		
Date	Revision date	Model
Nov 24 09	Dec 20 10	King Ultra
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5




ITEM NO.	PART NUMBER	QTY.
1	MT Size Brick	4
2	I Size Brick	9
3	A Size Brick	28
4	LP Size Brick	2
5	IT Size Brick	3
6	JT Size Brick	2
7	KT Size Brick	2
8	D Size Brick	2

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
KT Brick Assembly		
Date	Revision date	Model
May 17 10	??	KT1102
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		


All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5



ITEM NO.	PART NUMBER	QTY.
1	0830D	1
2	A Size Brick	21
3	B Size Brick	4
4	C Size Brick	4
5	D Size Brick	1
6	E Size Brick	1
7	F Size Brick	1
8	H Size Brick	1
9	I Size Brick	4
10	J Size Brick	1

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5


Valley Comfort Systems Inc		
1290 Commercial way Penticton, BC V2A 3H5		
Part Name		Part Number
Brick Assembly		
Date	Revision date	Model
Nov 17 09	??	PE Classic
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		



ITEM NO.	PART NUMBER	QTY.
1	0830C	1
2	A Size Brick	21
3	B Size Brick	4
4	C Size Brick	4
5	F Size Brick	1
6	I Size Brick	4
7	N Size Brick	4

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5


Valley Comfort Systems Inc		
1290 Commercial way Penticton, BC V2A 3H5		
Part Name		Part Number
PEL Brick Assembly		
Date	Revision date	Model
Dec 1 09	??	PE Parlor
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		



ITEM NO.	PART NUMBER	QTY.
1	0830C	1
2	A Size Brick	21
3	B Size Brick	4
4	C Size Brick	4
5	F Size Brick	1
6	I Size Brick	4
7	N Size Brick	4

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5

Valley Comfort Systems Inc		
1290 Commercial way Penticton, BC V2A 3H5		
Part Name		Part Number
Brick Assembly		
Date	Revision date	Model
Nov 16 09	??	PE Ultra
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		





ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	14
2	C Size Brick	3
3	SI Size Brick	1
4	T Size Brick	1
5	U Size Brick	1
6	W Size Brick	3
7	WI Size Brick	1
8	X Size Brick	1
9	Z Size Brick	1

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
PI Brick Assembly		
Date	Revision date	Model
Dec 15 09	??	PI1010A
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		



All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5



ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	24
2	B Size Brick	10
3	C Size Brick	4
4	D Size Brick	1
5	E Size Brick	1
6	F Size Brick	1
7	PP Size Brick	1

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5

Valley Comfort Systems Inc		
1290 Commercial way Penticton, BC V2A 3H5		
Part Name		Part Number
PT Brick Assembly		
Date	Revision date	Model
May 14 10	??	PT
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		



ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	14
2	AS Size Brick	2
3	D Size Brick	2
4	ETD Size Brick	4
5	GT Size Brick	1
6	X Size Brick	1
7	ZR Size Brick	2



Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
RGT Brick Assembly		
Date	Revision date	Model
Oct 24 11	??	RGT3001
Drawn By	Quantity per	Material / Thickness
AR	1	

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5


WEIGHT:
 PUNCH BLANK SIZE:
 LASER BLANK SIZE:



ITEM NO.	PART NUMBER	QTY.
1	0830J	1
2	A Size Brick	12
3	D Size Brick	2
4	EK Size Brick	1
5	H Size Brick	2
6	MT Size Brick	1
7	QC Size Brick	1
8	R Size Brick	1
9	SC Size Brick	2
10	SI Size Brick	3

Valley Comfort Systems Inc		
1290 Commercial way Penticton, BC V2A 3H5		
Part Name		Part Number
SC20 Brick Assembly		
Date	Revision date	Model
Jun 13 12	Apr 10 14	SC20
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5





ITEM NO.	PART NUMBER	QTY.
1	A Size Brick	12
2	D Size Brick	3
3	DC Size Brick	1
4	EK Size Brick	1
5	K Size Brick	2
6	MT Size Brick	2
7	QC Size Brick	1
8	SI Size Brick	2

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
SC20.1 Brick Assembly		
Date	Revision date	Model
May 7 14	??	SC20.1
Drawn By	Quantity per	Material / Thickness
AR	1	
All Dimensions in Inches		WEIGHT:
Tolerance		PUNCH BLANK SIZE:
General	Hole Size	Hole Pos
Angles		
+/- 0.03	+/- 0.005	+/- 0.03
		+/- 0.5
LASER BLANK SIZE:		



ITEM NO.	PART NUMBER	QTY.
1	0830I	1
2	A Size Brick	17
3	HC Size Brick	1
4	JC Size Brick	1
5	MC Size Brick	1
6	MT Size Brick	1
7	QC Size Brick	1
8	SI Size Brick	4

Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name	Part Number
SC30 Brick Assembly	

Date	Revision date	Model
------	---------------	-------

Nov 20 12	May 23 13	SC30
-----------	-----------	------

Drawn By	Quantity per	Material / Thickness
----------	--------------	----------------------


AR	1	
----	---	--

WEIGHT:

PUNCH BLANK SIZE:

LASER BLANK SIZE:

All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5



ITEM NO.	PART NUMBER	QTY.
1	AD Size Brick	22
2	DD Size Brick	2
3	GVD Size Brick	1
4	NVD Size Brick	4
5	OVD Size Brick	2
6	PVD Size Brick	1
7	VAD Size Brick	1


Valley Comfort Systems Inc

1290 Commercial way Penticton, BC V2A 3H5

Part Name		Part Number
VC120 Brick Assembly		
Date	Revision date	Model
Jan 28 10	??	VC120
Drawn By	Quantity per	Material / Thickness
AR	1	
WEIGHT:		
PUNCH BLANK SIZE:		
LASER BLANK SIZE:		


All Dimensions in Inches			
Tolerance			
General	Hole Size	Hole Pos	Angles
+/- 0.03	+/- 0.005	+/- 0.03	+/- 0.5

PE 1003 (Classic) Brick Layout



PE 1003 Brick Layout.tcw

KE 1102 Brick Layout BACK



KE 1102 Brick Layout. TCW