

Blaze King

S.0519 Log Set Drift Clarity (5 piece)



WARNING

ONLY THE LOG SET SUPPLIED BY THE MANUFACTURER MAY BE USED WITH THIS APPLIANCE. THE LOG SET MUST BE INSTALLED AS DESCRIBED IN THIS MANUAL. DANGEROUS OPERATING CONDITIONS MAY OCCUR IF THESE LOGS ARE NOT POSITIONED IN THEIR APPROVED LOCATIONS. IF LOGS ARE BROKEN, DO NOT OPERATE THE UNIT UNTIL THEY ARE REPLACED.



CALIFORNIA PROPOSITION 65

WARNING: This part is to be used in a heating appliance that can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information:

www.P65Warnings.ca.gov

1. The firebox with only the glass floor plate in place. **(Fig.1)**



Fig.1

2. The optional log set contains five different log shapes. Make sure that the log pieces sit behind and in front of the burner. It is important that the logs should not interfere with the burner flame or pilot flame. Place the two small log pieces into the back corners of the firebox as shown. **(Fig.2)**



Fig.2

3. Place the center “V” shaped log onto the previous two logs as shown. **(Fig.3)**



Fig.3

4. Position the front left log as shown. **(Fig. 4) DO NOT IMPINGE FLAME WITH LOG**, it should be just in front of the burner.



Fig.4

5. Position the remaining front right log as shown. **(Fig.5)** Stand log on short branch and flat. **DO NOT IMPINGE FLAME WITH LOG**, it should be just in front of the burner.



Fig.5



Manufactured By

Valley Comfort Systems Inc.
1290 Commercial Way
Penticton, BC V2A 3H5
CANADA
Phone: 250-493-7444
Fax: 250-493-5833

Blaze King Industries
146 A Street
Walla Walla, WA 99362
U.S.A.
Phone: (509) 522-2730
Fax: (509) 522-9803