



S.0549 Traditional Log Set CL4416 (6 piece)



WARNING

THIS LOG SET SUPPLIED BY THE MANUFACTURER MAY BE USED WITH THE CL4416 APPLIANCE. THE LOG SET MUST BE INSTALLED AS DESCRIBED IN THIS MANUAL. DANGEROUS OPERATING CONDITIONS MAY OCCUR IF THESE LOGS ARE NOT POSITIONED IN THEIR APPROVED LOCATIONS. IF LOGS ARE BROKEN, DO NOT OPERATE THE UNIT UNTIL THEY ARE REPLACED.



CALIFORNIA PROPOSITION 65

WARNING: This part is to be used in a heating appliance that can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information:

www.P65Warnings.ca.gov

1. This optional traditional log set contains six different log shapes. Make sure that the log pieces sit exactly as shown for proper safety, efficiency, and flame appearance. Place log #1 as shown below.



2. Place log #2 as shown below




3. Place log #3 as shown below.




4. Place log #4 as shown below.



5. Place log #5 as shown below.



6. Place log #6 as shown below.



7. Note proper flame appearance below. Make adjustments to achieve optimal flame appearance, see “AIR SHUTTER” and “EXHAUST RESTRICTOR SETTING” in the CL4416 Operator’s Manual.



Manufactured By

Valley Comfort Systems Inc.
1290 Commercial Way
Penticton, BC V2A 3H5
CANADA
Phone: 250-493-7444
Fax: 250-493-5833

Blaze King Industries
146 A Street
Walla Walla, WA 99362
U.S.A.
Phone: (509) 522-2730
Fax: (509) 522-9803