



Sentry 14

BLAZE KING Sentry 14

Free Standing Wood Stove



Blaze  King

— Since 1977 —

www.blazeking.com

SENTRY 14

Design If you’re looking to heat up to 1,300 sq. ft. with elegance, the Sentry 14 wood stove is a perfect fit. It has a generous 1.46 cu. ft. firebox and delivers cozy, consistent warmth, ideal for smaller homes, cabins, or mobile homes. The Sentry 14 fits beautifully into tighter spaces as it has minimal clearance requirements, just 1 inch from the rear and corners. Enjoy the glow and warmth of a real wood fire through the extra-large window, the biggest in its class. The wide 15¼" x 11¼" door and the 17¼" wide firebox make it easy to load a standard 16" log. At 31½" tall, the Sentry 14 is an ideal height for easy loading.

Performance The Sentry 14 features Blaze King’s legendary thermostat control system, which operates without electricity and is perfect for peace of mind during power outages. You can reduce the stove’s heat output by up to 65%, giving you control over your comfort and fuel use. On a single load of wood, enjoy up to 14 hours of low, steady heat, or 8 hours of high, even warmth when the temperature drops.

Specifications: Sentry 14	Real World Tested Performance
Efficiency	78.4% (HHV Lab tested efficiency)
Maximum Heat Input*	230,000 BTUs
Heat Output on High, BTUs	24,453 BTU/hr
Heat Output on Low, BTUs	8,699 BTU/hr
Square Feet Heated	600 – 1300
Average Heating Time*	7 to 10- hours
Potential Run Time on Low*	14 hours
Emissions (grams/hour)	1.42 g/h
Usable Firebox Volume	1.46 cu.ft.
Flue Size	6"
CO (g/min)	0.688 g/min

* BTU, heat input and output and heating times depend on influences such as home size, home insulation, installation configuration, wood species, wood moisture content and climatic conditions.






Sentry 14 shown with optional Fan Kit and Convection Deck



Measurements

Sentry 14



BLAZE KING

Sentry 14



Savings Your Sentry 14 will help you save on heating bills. At 78.4% efficient, the Sentry 14 is one of the most efficient wood stoves available and will use up to a 1/3 less wood when compared to its rivals. Most wood stoves require a thermally rated hearth pad below the stove, but the Sentry 14 only requires ember protection, which reduces installation costs.


Less Cleaning All Blaze King stoves produce very fine ash because we extract every last drop of energy from the wood. As a result you can go for very long periods before you have to empty your stove.

Options

- Fan Kit with convection deck (the convection deck is required when installing a fan)
- Convection deck

Clearances – Sentry 14

RESIDENTIAL INSTALLATIONS	A	B	*C	*D	E	*F	G	H
Roof or wall exit; parallel or corner	9.5" 242 mm	1" 26 mm	20.25" 515 mm	10.25" 261 mm	1" 26 mm	13.25" 337 mm	50.5" 1283 mm	82" 2083 mm
ALCOVE INSTALLATIONS								
Roof or wall exit; requires double-wall pipe	12" 305 mm	1" 26 mm	22.75" 588 mm	10.25" 261 mm	n/a	n/a	50.5" 1283 mm	82" 2083 mm
MOBILE HOME (USA) OR TRANSPORTABLE BUILDING (CAN) INSTALLATIONS								
Roof exit only; requires double-wall pipe and outside air								



10 Year Extended Warranty

Because we believe in the technology and craftsmanship built into every Blaze King stove, we are proud to offer a 10 year 100% extended warranty on your catalytic combustor.

Blaze King

— Since 1977 —

www.blazeking.com

E&OE. Every effort is made to present accurate information in this brochure. Brochures are for marketing purposes and subject to change without notice. Please consult your owners manual prior to any installation.

Q.377
12-2025

